

337

South Boundary 1/2 1 (R) 2 E

Old Salt River Meridian

Chs East on a true line bet  
secs 2 & 3  
7a 130 23' E

4000 Seraput fir 1/4 sec with  
mound and pits as per  
instructions

8000 Seraput fir cor to sec 2,  
3 & 6 with mound and  
pits as per instructions  
Land rolling  
Soil 200 1/2 rates  
Mesquite, greasewood and  
Green tree bunch

East on a true line bet sec  
1 and 3  
7a 130 23' E

889

BOOK 1480

Smith Boundary T<sup>h</sup> 1 S R 2 E

1. Gita and Salt River Meridian

4000 Set apart for 1/4 sec cor  
with mound and pits as  
per instructions

8000 Set apart for cor to Townships  
1 + 2 S Ranges 2 + 3 E with  
mound and pits as per  
instructions

Land rolling - sandy 3<sup>rd</sup> note  
Mesquite and greasewood brush  
and scattering cactus along line

From the cor to Townships 1 + 2 S  
Ranges 2 + 3 E and run

North on Range line see  
see 86 + 31

run 13<sup>th</sup> 23<sup>rd</sup> E by solar  
Compass

East Boundary Sp. (RR 2 E

1/4 Salt River Meridian

44.00 Seraport for 1/4 sec cor  
with mound and pits.  
as per instructions

58.00 Ascend

80.00 Seraport for cor to sec 25, 30.  
30 31 with mound and pits  
as per instructions

Land south 58.00 ch rolling  
Remained sloping south  
(East of line mountains - unfit  
for cultivation)

Soil 3<sup>rd</sup> rate

Mesquite & Mesquero wood bush

North lot sec 25 30

7a 1 30 2 3 1 E

44.00 Seraport for 1/4 sec cor (as

East Boundary T<sup>p</sup> 1 S Range 2 E

Gita & Salt River Meridian

Chs base of high barren mountains  
 unfit for cultivation (beas & f<sup>w</sup>)  
 with mound and pits as  
 per instructions

Land sloping gradually South  
 Soil 3<sup>rd</sup> cult

Mesquite and greasewood  
 May 5, 1868

I begin at a point on the  
 Gita & Salt River Base line  
 4.72 chs West of Standard  
 Cor to Township 1 N Range  
 2 S E. A report at  
 this point for closing cor  
 to Township 1 S Range 2 S E  
 with mound and pits as  
 per instructions. Thence  
 South on Range line bet

East Broadway Tpl R2 2 E

Gila Salt River Meridian

Chs Secs 1 + 6

7a 13023' E by solar Compass

40.00 Seraport for 1/4 sec cor  
with mound and pits  
as per instructions  
Gradually descend

78.50 A dry sandy arroyo 100 ft  
wide runs West

80.00 Seraport for cor to sec 1, 12, 6 + 7  
with mound and pits  
as per instructions  
Land North 1/2 level  
" South 1/2 slopes south  
Ant 14 + 200 rules  
Sage and groundwood

1293

BOOK 1480

East Boundary Tp 1 R 2 E

7th Ed Salt River Meridian

Chs South to sec 7 & 2  
ra 13023' E

4000

See report for 14 sec corner  
at base of mountain bearing  
E to suit for cultivation  
with mound and pits as  
per instructions  
Land sloping gradually North  
Dnl 2nd & 3rd rows  
Grasswood & sage brush  
May 6, 1868

Field Notes of the survey of  
the eastern boundaries of  
fractional

Township 1 S Range 3 E

of the Gila and Salt River  
Meridian in the Territory  
of Arizona by Wilfred H.  
Dugall's Deputy Surveyor  
under his contract bear-  
ing date of 18th day of  
February 1868

W. H. D.

Copied for Washington  
Eben. C. Farley



South Boundary Tps 1SR 3 E

Gila Salt River Meridian

Chs I begin at the cor to Tps  
1 & 2 Ranges 2 & 3 E and run

East on true line bet  
sec 5 & 6

72° 13' 38" E by solar Compass

38.11 Set a stone 20 + 8 + 6 for 1/2 sec  
cor as per instructions

78.11 Set a stone 14 + 12 + 8 for cor to  
sec 5, 6, 3, 1 & 2 as per  
instructions

Land West 1/2 mile level

" East 1/2 of low prairie  
of hilly sloping ~~land~~

Land north of line mountains  
and suitable for cultivation

495

BOOK 1480

Smith Broadway P 12R 3E

John Edgart River Meridian

Chs East on a true line per  
sec 5 1/2 2  
74 130 38 E

4000 Set a stone 20 x 18 x 16 for 1/4  
sec as per instructions

8000 Set a stone 25 x 18 x 15 for cor  
to sec 4, 5, 32 1/2 3 as  
per instructions

Sand hilly sloping south  
" north of true meridian  
and unfit for cultivation  
but 3<sup>rd</sup> rate  
measured & set bush

East on a true line per  
sec 4 1/2 3  
74 130 38 E

South Boundary 7p 1 R 3 E

Gila and Salt River Meridian

4000 Aera stone 16+12+6 for 1/4 sec  
as per instructions

8000 Aera stone 20+16+10 for center  
secs 3, 4, 3, 3, 3, 4 as per  
instructions

Land lully + rocky - sloping south  
" north of line lully and mountainous  
anxious + unfit for cultivation  
fuel 3<sup>rd</sup> rate  
Mesquite and greasewood

East main line sec  
secs 3 + 3 4  
70 13 38' E

4000 Aera stone 16+12+6 for 1/4  
sec as per instructions

691

BOOK 1480

South Boundary Tp 12R 3E

Latitude Salt River Meridian

5400 Leave points of hills, bears N E + 200

800 Per a stone 2571845 for cor  
to sec 2, 3, 3 4 13 5 as  
per instructions

Land West 5400 Ch. points of  
hills sloping South  
Remains level

Soil 3rd rate

Greenwood bush

Cor on a two line bet  
sec 2 + 3 5

N 13° 38' E

400 Per a pt for 1/4 sec cor  
with mound and pits  
as per instructions

Smith Boundary Tp 1 R 3 E

Gate and Salt River Meridian

8000 Set apart from to recs 12.35.36  
with mound and pits  
as per instructions  
Land level and rocky slo-  
ping Smith  
Encl 3<sup>rd</sup> date  
Greewood

East of main line bet  
recs 1 & 36  
N 13° 38' E

4000 Set apart for 1/4 acre  
with mound and pits  
as per instructions

8000 Set apart for with Townships  
1 & 2 Ranges 3 & 4 E  
with mound and pits

East Boundary T<sup>o</sup> 1<sup>st</sup> R<sup>ange</sup> 3<sup>rd</sup> E

Latitude-River Meridian

Ch<sup>ar</sup> as per instructions

Land book

Oril 3<sup>rd</sup> rate

Greewood and mesquite

I begin a run to Township  
1<sup>st</sup> & 2<sup>nd</sup> Ranges 3<sup>rd</sup> & 4<sup>th</sup> E and run

North on Range line per  
rec<sup>s</sup> 31 & 36

on 13° 38' E by  
Solar Compass

4<sup>th</sup> sec per a part for 4<sup>th</sup> sec corner  
with corner and pits  
as per instructions

8<sup>th</sup> sec per a part for corner to rec<sup>s</sup> 25-36  
30 & 31 with corner and

East Brunday Tp (QR 3 E)

Gda Salt River Meridian

Clear pits as per instructions  
 Land level  
 Soil test note  
 Greenwood and Mesquite

North bearing 257° 30'  
 Va 13° 38' E. ~~Ascend~~

37100 To foot of spur of mountain  
 bears N E & SW. Ascend

4400 Set a post for H sec cur  
 with mound and pits  
 as per instructions

4600 Descend

4900 To foot of same bears N E & SW

5200 Set a post for cur to sec

181 East Boundary BOOK 1480

Sp 1 Range 3 &

Great Salt River Meridian

Chs 24 25 1930 with mound and  
pits as per instructions

Land North & South parts - level.

Int 2<sup>nd</sup> rate

Middle part spur of mountain  
area trending NE

Int 3<sup>rd</sup> rate

Land West of line mountainous

unsuitable for cultivation bears NWS

Greasewood and mesquite

---

North bet secs 19 & 24  
N 13° 38' E

4000 Set apart for 1/4 sec  
with mound and pits  
as per instructions

8000 Set apart for art to sec 3 24



East Boundary T<sub>p</sub> 1 SR 3 E

Gila Ed Salt River Meridian

Chs 18779 with mound and  
pits as per instructions  
Land level

Int 3<sup>rd</sup> rate

Greasewood sage brush and  
scattering mesquite  
Land cont of low mountains  
and ample for cultivation

North line sec<sup>s</sup> 13 778  
N 13 38' E

4400 Ser apart for sec<sup>s</sup> 12, 13,  
with mound and pits as  
per instructions

8000 Ser apart for sec<sup>s</sup> 12, 13,  
7778 with mound and pits  
as per instructions

East Brundage Tp. 1 SR 3 E

Gila Edsall-River Meridians

Chs Land level  
 Inlet 2nd rate  
 Greasewood, Sage brush and  
 scattering Mesquite

North bearing sec 7 + 12  
 (ra 13° 38' E)

1400 Foot of mountain bears E & W.  
 Ascend

4000 Set a stone out + 12 + 8 for 1/4  
 sec on top of ~~high~~ ridge  
 bears E and west as per  
 instructions  
 Descend

8000. Set a post for corners 1, 12, 6 + 7  
 with mound and pits as

East Boundary Tp 1 SR 3 E

Gita and Salt River Meridian

Chs per instructions at base of mountain  
bearing West + SE

Sand pits 1400 chs rolling  
Remains North and South slopes  
of mountain  
and 3<sup>rd</sup> note  
Greasewood

North sec 1 + 6  
7a 13.38'E

4000 Sec apart for 1/4 sec cor  
rite mound and pits  
as per instructions

8011 Intersect Gita and Salt River  
Base line 6.03 Chs west of  
Standard cor to Township  
1 N Ranges 3 + 4 E

East Boundary Tp 1 SR 3 E

Gita Salt River Meridian

Obs Set a post for closing out  
to Townships 1 & Ranges 3 & 4 E  
with corner and posts as  
per instructions

Land gradually sloping North  
but 2nd 4th or 5th

Greenwood and sage brush  
May 11, 1868

17

Field Notes of the survey of  
the Exterior Boundaries of  
Township 1 S Range 4 E  
of the Utah and Salt River  
Meridian in the Territory  
of Arizona by Wilfred H.  
Dugall, Deputy Surveyor  
under his contract bearing  
date of 18<sup>th</sup> day of  
February 1868.

Copied for Washington D.  
E. C. Bailey

South Boundary Tp 18R 4E

Old and Salt River Meridian

Chs 2 begin at the established  
cor to Townships 172 South  
Ranges 344 E and run

East on a true line on  
South Boundary of Sec 31  
7a 13045<sup>4</sup> E as per  
Solar Compass

38.77 Set a post for 1/4 sec cor  
with mound and pits  
as per instructions

38.78 Set a post for cor to sec 31.6,  
31732 with mound and  
pits as per instructions  
Land gradually sloping  
South and East  
Soil. quit soil  
Greasewood and Sage brush

South Boundary Tp 1 S R 4 E

Gila and Salt River Meridian

Ch East on a true line on  
South Boundary of sec 32  
T<sub>1</sub>S R<sub>4</sub>E

5:00 a Road bears N E + SW

8:50 " " " " "

4:00 Set a post for 1/4 sec cor  
with mound and pits  
as per instructions

8:20 Set a post for cor to sec 5 1/2  
32 & 33 with mound and  
pits as per instructions  
Land gradually sloping East  
soil generally sub soil  
Mesquid and sage brush

East on a true line on South  
Boundary of sec 33  
T<sub>1</sub>S R<sub>4</sub>E

South Boundary Sp 1 & R 4 E

Toward Salt River Meridian

40.00 Set a post for 1/4 sec cor  
with mound and pits  
as per instructions

59.50 Road to Fort in Dowell Coas  
N E & SW

80.00 Set a post for cor to sec 3, 4,  
3, 3 & 4 with mound and  
pits as per instructions  
Dand level  
Inl 2nd date  
Measure and scattering  
mesquite brush

East on a true line on  
South Boundary of sec 34  
ra 13 & 45 'E

40.00 Set a post for 1/4 sec cor



6<sup>9</sup> South Boundary  
T<sup>1</sup> S Range H E

BOOK 1480

Yula Salt River Meridian

4100 Set a post for cur to sec  
with mound and pits  
as per instructions

8000 Set a post for cur to sec  
2, 3, 34, 35 with mound and  
pits as per instructions

Level level

Drill 2<sup>nd</sup> & 3<sup>rd</sup> rates

Scattering greasewood and  
mesquite bush

East on a true line on  
South Boundary of Sec 35  
T<sup>1</sup> S Range H E

4020 Set a post for 1/4 sec cur with  
mound and pits as per  
instructions

Cur enter Mesquite Thicket  
bear N E & S W

South Boundary Tp 18 R 4E

Qua & Half-Rua Meridian

8000 Set a post for corner sec 1, 2,  
3, 5 & 36 with mound and  
pits as per instructions  
Land level  
Incl 200 ft  
Mesquite and greasewood brush

East on a true line on  
South Boundary of sec 36  
70° 13' 45" E

5000 Leave Mesquite Thicket Cross 71 E & SW

4000 Set a post for 1/4 sec cor with  
mound and pits as per  
instructions

8000 Set a post for cor to Township 18  
& Range 4 & 5 E with mound and  
pits as per instructions

8111

BOOK 1480

East Boundary Tps 1 & 2 R 4 E

Outlet Salt River Meridian

Ch. Sand level

Soil 2nd rate

Mesquite and Jacaranda bush  
May 14, 1868

From the cor to Tps 1 & 2 R  
Ranges 4 & 3 E 1 run

North on East Boundary  
of Sec 36  
by 137°45' E by  
Solar Compass

25.000 E. to Mesquite Thicket bears N E & W

40.000 Lava part full & recess with  
mound and pits as per  
instructions

45.000 Leave Mesquite Thicket  
bears N E & W

East Boundary T<sup>h</sup> 18 Range 4 E

Gila Salt River Meridian

8000 Deva part for cor to sec<sup>s</sup> 25, 26,  
27 & 28 with mound and  
pits as per instructions  
Land level  
In 2nd 1/4 rates  
Mesquite and greasewood bush

North or East Boundary  
of sec 25  
T<sup>h</sup> 13 R<sup>g</sup> 43 - 1 E

4000 Deva part for 1/4 sec cor  
with mound and pits  
as per instructions  
~~Land level~~  
In 2nd 1/4

8000 Deva part for cor to sec<sup>s</sup> 24, 25,  
19 & 20 with mound and pits  
as per instructions

East Boundary Tp 18R 4E

Grand Salt River Meridian

Obs Land level  
 One 2nd 13<sup>th</sup> rule  
 Scattering Mesquite brush

North on East Boundary  
 of sec 24  
 Ta 13° 45' E

4200 Set a post for 1/4 ac cor  
 with mound and pits  
 as per instructions

8200 Set a post for cor to sec  
 13.24, 1879 with mound and  
 pits as per instructions  
 Land level  
 One 2nd 13<sup>th</sup> rule  
 Scattering Mesquite and  
 Quercus brush

East Boundary T<sup>1</sup>b 18 R 4 E

Clear Salt River Meridian

Ch<sub>1</sub> North on East Boundary  
of sec 12  
7a 13° 45' E

4400 Set a post for 1/4 sec corner  
with mound and pits  
as per instructions

79.00 Ft. McDowell Road bears N E + SW

8200 Set a post for corner to sec 12, 13,  
7 & 8 with mound and pits  
as per instructions  
Land level  
Dirt and 1/2" water  
Mesquite and greasewood brush

North on East Boundary  
of sec 12  
7a 13° 45' E

East Boundary No 18 R 4E

Gila and Salt River Meridians

4020 Set a post for  $\frac{1}{4}$  sec cor  
with mound and pits  
as per instructions

820 Set a post for cor to sec<sup>s</sup>  
0, 1, 2, 6 & 7 with mound and  
pits as per instructions  
Land levels  
Fence and gate  
Greasewood and Mesquite

North of East Boundary  
of sec 1  
No 13 R 5 E

40100 Set a post for  $\frac{1}{4}$  sec cor  
with mound and pits  
as per instructions

79.65 - Interval Gila and Salt

East Brundage T18R4E

Gila and Salt-River Meridian

Obs Run Bare True 9.44 ch  
West of the Standard Cor  
to ~~west~~ Townships 1 North  
Ranges 4 + 3 E

Set a post for dining cor  
to Townships 1 & Ranges 4 + 3 E  
with mound and pits  
as per instructions  
Land level

Soil 2nd soil  
Mesquite and greasewood  
brush

May 15, 1868.



Field Notes of the Survey of  
the Exterior Boundaries of  
Township 1 S Range 5 E  
of the Gila and Salt River  
Meridian in the Territory  
of Arizona by Alfred J. Dugall  
Deputy Surveyor under  
his Contract bearing date  
of 18<sup>th</sup> day of February  
1868

Platte C. B.  
Copied for Washington  
E. C. Hawley

Smith Boundary T<sup>1</sup> S R 5 E

Gita and Salt River Meridian

Chs. Transits established cor to  
Townships 1 & 2 S Ranges  
4 & 3 E 2 run

East on a true line on  
South Boundary of sec 31  
N<sup>13</sup>W<sup>40</sup>E by Solar  
Compass

38.11 Sera post for 1/4 sec cor with  
mound and pits as per  
instructions

78.11 Sera post for cor to sec 30.6.  
31 & 32 with mound and  
pits as per instructions  
Sand lead  
Inl 2nd T<sup>1</sup> S R<sup>2</sup> rates  
Mesquite and greasewood  
bush

South Boundary Twp. 18 R 5 E

La Ed Salt River Meridian

Chy East on a true line on  
South Boundary of sec 32  
ra 13040' E

4000 Set a pit for 1/4 sec cor-  
with mound and pits  
as per instructions

8000 Set a pit for cor to sec 41, 5,  
32 & 33 with mound and  
pits as per instructions  
Land level

Out 2nd 1300' rates

Sage brush, greasewood and  
scattering Mesquite

East on a true line on South  
Boundary of sec 33  
ra 13040' E

South Boundary T<sub>1</sub> 18 R 5 E

Gila Salt River Meridian

33.00 A Road bears N 30° E + 830m.

4000 Set a post for 1/4 sec cor  
with mound and pits  
as per instructions

77.57 A Road bears N 20° W + 830° E

8000 Set a post for cor to sec 3, 4.  
33 + 34 with mound and  
pits as per instructions  
Land level  
Set 2nd rate  
Greewood and sage brush

East as a true line on  
South Boundary of sec 3 &  
N 13° 40' E

4000 Set a post for 1/4 sec cor

6<sup>120</sup>

BOOK 1480

BOOK 1480

South Boundary Tp 18R5E

Gila Gulch River Meridian

Ch<sup>s</sup> - with mound and pits  
as per instructions

8200 Set a post for cor to sec<sup>s</sup> 2, 3, 34  
35 with mound and pits  
as per instructions

Land level

Out 2nd 3<sup>rd</sup> rates

Measurements, page and

mesquite brush

East on a true line on  
South Boundary of sec 35  
7a 13440' E

35.000 Road from NE to SW

4000 Set a post for 4 sec cor  
with mound and pits  
as per instructions

South Boundary Tp 18 R 5 E

Meridian Salt River Meridian

8220 Set a post for cor to sec 35 & 36,  
 1, 2, 35 & 36 with mound and  
 pits as per instructions  
 Land pretty rolling  
 Soil sub 3rd rates - sandy  
 Greasewood & Sage brush and  
 scattering mesquite

East or a true line on  
 South Boundary of sec 36  
 Ra 130 40' E

4420 Set a post for 14 sec cor  
 with mound and pits  
 as per instructions

8220 Set a post for cor to Townships  
 1 & 2 Ranges 5 & 6 E  
 with mound and pits  
 as per instructions

East-Boundary Tps 18R 5E

Gilaud Salt-River Meridian

Ch Land gently rolling  
 Soil 3<sup>rd</sup> cuts - sandy  
 Mesquero and sage brush  
 and scattering mesquite "  
 May 26, 1868

From the cor to Township 17S  
 Range 5 & 6 E I run

North on Range line on East  
 Boundary of sec 36

to 13740' E by Solar  
 Compass

4200 Set a post for 1/2 sec cor with  
 mound and pits as per  
 instructions

8200 Set a post for cor to sec 25, 30,  
 30 & 31 with mound and  
 pits as per instructions

East Boundary Tp 18 R 5 E

Between Salt River Meridian

Ch Land level sandy  
 Soil 3<sup>rd</sup> rate  
 Greasewood and sage brush

North on East boundary of  
 Sec 20

7a 13<sup>th</sup> E

4000 Set apart for 1/4 sec cor  
 with mound and pits  
 as per instructions

8000 Set apart for cor to sec 24, 25,  
 19 & 20 with mound and  
 pits as per instructions  
 Land gully rolling  
 Soil 3<sup>rd</sup> rate sandy  
 Greasewood and sage brush  
 Scattering Mesquite "



10/23

BOOK 1480

East Boundary Tp 18R5E

Grand Salt River Meridian

Chy North on East Boundary of  
Sec 24  
7a 13240' E

40.00 Set a post on 1/4 sec corner  
with mound and pits  
as per instructions

50.00 Set a post for cor to sec 13, 24  
1849 with mound and pits  
as per instructions  
Sand level  
In 3<sup>rd</sup> rate  
Meadow and scattering  
mesquite brush

North on East Boundary of  
Sec 13  
7a 13240' E

East Boundary T<sub>p</sub> 1 S<sub>2</sub> 5 E  
 T<sub>1</sub> 4 S<sub>2</sub> 1 Q<sub>1</sub> River Mendocino

40.00 Per a post for 1/4 sec cor with  
 mound and pits as per  
 instructions

80.00 Per a post for cor to sec<sup>s</sup> 12, 13,  
 14 & 18 with mound and pits  
 as per instructions

Land Seal

Oil 3<sup>rd</sup> rate

Grasswood, sage brush and  
 scattering Mesquite "

Scattering Cacti

North on East Boundary  
 of sec 12  
 7a 13040' E

40.00 Per a post for 1/4 sec cor  
 with mound and pits  
 as per instructions

East Boundary Tp 18 R 5 E

Gila and Salt River Meridian

8000 Set a post for cor to sec 1, 12,  
6 + 7 with mound and pits  
as per instructions  
Sand level  
Oil 2nd 130 rates  
dreewood, sage and  
scattering mesquite, brush  
" cacti

North on East Boundary of  
Sec 1

7a 1 3/4 40' E

4000 Set a post for 1/4 sec cor  
with mound and pits  
as per instructions

80.63 Dubinet Gila and Salt River  
Base line S. H. 2. Ch. West  
of the Standard cor to

East Boundary T<sup>ps</sup> 18 R 5 E

Salt River Meridian

Chs Townships 1<sup>2</sup> Ranges 546 E  
 Set apart for closing corner  
 of Townships 15 Ranges 546 E  
 with mound and pits as  
 per instructions

Land level

Dial 3<sup>rd</sup> rate

Measured, page and scattering  
 mesquite brush

May 27, 1868

Field Notes of the survey of the  
Exterior Boundaries of  
Township 2 Range 2 E  
of the Gila and Salt River  
Meridian in the Territory  
of Arizona by Wilful H.  
Ingalls Deputy Surveyor  
under his contract bear-  
ing date of 18th day of  
February 1868

Platted

Copied for Washington  
E. C. Harley

West  
~~East~~ Boundary Tp 2 SR 2 E

Gila and Salt River Meridian

Ch. I begin at the established  
 cor to Townships 1 & 2 S  
 Ranges 1 & 2 E and run

South a Range line bet  
 sec 5 & 1 & 6

On 13<sup>th</sup> 20<sup>th</sup> ° E by Solar  
 Compass

4000 Set a post for 1/4 sec cor  
 with mound and pits  
 as per instructions

8000 Set a post for cor to sec 5 & 1 & 2.  
 6 & 7 with mound and pits  
 as per instructions  
 Land level. Soil 1<sup>st</sup> 2<sup>nd</sup> rates  
 Sage, Greasewood and  
 Mesquite bush

#124

BOOK 1480

West Boundary Tp 18R 2E

Great Salt River Meridian

Ch. South corner 7 & 12  
13 + 18 20' E

~~4000 Set apart for 1/4 section  
with mound and pits  
as per instructions~~

23.00 A slough 571 lks wide runs NW

30.00 Leave River Bottom bears NW 1/4  
Euta mesa.

4000 Set apart for 1/4 section  
with mound and pits  
as per instructions

8000 Set apart for cor to sec 7, 12,  
13 + 18 with mound and  
pits as per instructions  
Land level except mesa  
which is rolling

West Boundary 5 p 10 R 2 E

Gila Salt River Meridian

Obs Int 2nd 13<sup>th</sup> rule  
Greasewood, mesquite and  
Sage brush

South bearing 17<sup>th</sup> 18  
ra 13<sup>o</sup> 20' E

4000 ft apart from each other with  
mound and pits as per  
instructions at base of mound -  
are suitable for cultivation  
bearing NW + SE  
Low rolling mesa  
Int 3<sup>rd</sup> rule  
Greasewood and Sage brush

2 begin at cor to Township 12 S  
Range 2 + 3 E and run  
South on Range line bearing 1 + 6  
ra 13<sup>o</sup> 20' E by Solar Compass



6 129A

BOOK 1480

East Boundary 1/2 x SR 2 E

Set a post on Meridian

4000 Set a post for 1/4 section  
with mound and pits  
as per instructions

8000 Set a post for corner  
1/2, 6 + 7 with mound and  
pits as per instructions  
Land level

One set note

Mesquite and sage brush

South bet sec 7 + 12  
1/2 x 13 20 E

4000 Set a post for 1/4 section  
with mound and pits  
as per instructions

8000 Set a post for corner sec 12, 13.

East Boundary Tp 22R 2E

Graded Salt River Meanders

chs 4+18 with mound and pits  
as per instructions

Land gently rolling

Soil Sandy 2nd rate

Mesquite and sage brush

South line sec<sup>s</sup> 13+18  
Tra 13020' E

4000 Per a part for 1/4 sec<sup>s</sup> 13, 14  
with mound and pits  
as per instructions

5000 Per a part for sec<sup>s</sup> 13, 14,  
18+19 with mound and  
pits as per instructions  
Land level. Soil 2nd rate  
Mesquite, grasswood and  
sage brush

8160

BOOK 1480

East Boundary Tp 1 AR 2 E

Grand Salt River Meridian

Ch. South br sec 19 + 24  
ra 13000' E

4000 Lev apart fr 1/4 sec  
with mound and pits  
as per instructions

8000 Lev apart fr cor to sec 24, 25  
19 + 30 with mound and pits  
as per instructions

Land level

Int 2<sup>nd</sup> rate

Grass, Mesquite and  
Sage brush

South br sec 25 + 30  
ra 13000' E

.80 Road from Trekenburg to Mancoska  
Wells bears NW + SE

East Boundary Tp 7 SR 2 E

Gila Red Salt River Meridian

4100 Aslough 200 ch wide beams  
E & W.

Enter River bottoms beams E & W

17.50 An ancient Esca track wide beams N E & S W

2000 Road from Wickenberg to Mar-  
icopa wells beams N E & S W

4000 Scrap for 1/4 section with  
mound and pits as per  
instructions

52.00 Gila River 3, 4 ch wide runs West  
Leave " Bottom.

8000 Scrap for car to acc 25, 36,  
30 & 31 with mound and pits  
as per instructions

Sand North of river level Bottom 1st rate

" South " " " 2nd rate

North of main Cottonwood and

70-132

BOOK 1480  
East Boundary Sp. 1 & R 2 E

Great Salt Plain Meridian

Clear Willow brush and a dense  
growth of arrowweed  
Lots of river mesquites

South bearing 31° 36'  
Cra 130° 20' E

40:00 Separated for Heccer  
with mound and pits  
as per instructions

6:00 Road from Mancoska Wells  
to Weckenburg bears 72° 20' N 82° 20' E

8:00 Separated for cor to Townships  
24° 3' & Ranges 24° 3' E with  
mound and pits as per  
instructions

Land rolling. Soil 2 or 3  
mesquite and sagebrush

BOOK 1480

fruits Boundary Tp VSR 2E

Gila and Salt River Meridian.

Obs. Transits on trees 283 & Rivers  
283 E & River

West meridian line bet sec  
1 & 6.

7a 13°20' E by Solar Compass

40.00 Set apart for 1/4 sec cir-  
cuits mound and pits  
as per instructions

80.00 Set apart for sec 172,  
35 & 36 with mound and  
pits as per instructions

Land level

One set rate

Merquite and sage brush

West meridian line bet

sec 2 & 3

7a 13°20' E

12  
134

BOOK 1480

North Boundary TP 2 R 2 E

Delta Ed Salt River Meridian

4000 Seraport for 1/4 acre  
with mound and pits  
as per instructions

5000 Seraport for cur to nos 2, 3,  
34 & 35 with mound and  
pits as per instructions  
Land level  
Oil 200 rot  
Mesquite bush

West on true line  
sec 3 & 4  
T 13 N 20 E

4000 Seraport for 1/4 acre  
with mound and pits  
as per instructions

South Boundary 7p 2SR 2 E

Gita Salt River Meridian

67.00 A salt plough 69 lks wide  
beats n e sw

8000 Seraport for articles 3, 4,  
3 3 + 4 with mound and  
pits as per instructions  
Land level  
Inl 300 rods  
Mesquite and sage brush

Nest on a true line  
bet rec 4 + 3 3  
7a 13° 20' E

15.00 Foot of <sup>rolling</sup> mesa bears n 20° W + S 20° E  
gradually ascend

40.00 Seraport for 4 recen with  
mound and pits as per  
instructions



74  
1/2

BOOK 1480

South Boundary T<sup>o</sup> RR 2 E

Line and Salt River Meridian

80.000 feet apart for cuts and 4.5,  
32783 with mound and pits  
as per instructions at base  
of mountains unfit for cul-  
tivation bearing  $20^{\circ}$  W +  $S 20^{\circ}$  E  
Land East 15.00 ch level

Remains rolling mesa slo-  
ping NE

Int 2nd to 3rd rates  
Mesquite, Sage brush and  
scattered cactus

June 6, 1868.

Field Notes of the survey of the  
Western Boundaries of  
Practical

Township 3 S Range 2 E  
of the Gila and Salt River  
Meridian in the Territory  
of Arizona by Wilfred A.  
Ingalls Deputy Surveyor  
under his Contract of  
18th day of February 1868

Platted L.D.  
Copied for Washington  
E. C. Harley

East Boundary T<sup>1</sup>/<sub>2</sub> 2<sup>1</sup>/<sub>2</sub> Range 2 E

Line End Salt River Meridian

Chs I begin at the established cor  
to Township 2 T<sup>1</sup>/<sub>2</sub> 2<sup>1</sup>/<sub>2</sub> Range  
2 T<sup>1</sup>/<sub>2</sub> 2<sup>1</sup>/<sub>2</sub> E and run

South on Range line bet  
secs 1 & 6

By 13° 31' E by Solar Compass

4600 Separat for 1/4 sec cor with  
mound and pits as per  
instructions

6600 A Road bears NW & SE

8000 Separat for cor to secs 11, 12, 6 & 7  
with mound and pits as  
per instructions

Land level. Soil sub rate  
Merquito - very dense

434

BOOK 1480

East Boundary T<sub>2</sub> S R 2 E

Line at Salt River Meridian

Ch. South bet Secs 7 & 12  
T<sub>2</sub> S R 2 E

4000 Set apart for 1/4 sec cor  
with mound and pits  
as per instructions

8000 Set apart for cor to sec 12, 13.  
T<sub>2</sub> S R 2 E with mound and pits  
as per instructions  
Land lease  
April 2nd date  
Scattering Mesquite brush

---

South bet Secs 13 & 18  
T<sub>2</sub> S R 2 E

7120 A single block wide bears E & W

East Boundary T<sub>3</sub> & S<sub>2</sub> & E

Gila Ed Salt River Meridian

4000 Sera part for 1/4 sec cor  
with mound and pits as  
per instructions

8000 Sera part for cor to sec<sup>s</sup> 13, 24,  
18 & 19 with mound and pits  
as per instructions  
Land level - north & south parts  
2<sup>nd</sup> rate  
- middle part - wet 3<sup>rd</sup> rate  
Scattering Cottonwood  
Mesquite brush

South bet sec<sup>s</sup> 19 & 24  
ra 13<sup>th</sup> 30' E

4000 Sera part for 1/4 sec cor  
with mound and pits as  
per instructions

6 140

BOOK 1480

East Boundary T<sub>3</sub>A R 2E

Gila & Salt River Meridian

48.21 Road from Mancopa Wells  
to Fort Yuma bears N E S W  
Mancopa Wells lie ~~in~~ immediacy  
on the ~~conting~~ side of this road  
about 1 1/4 miles NE

8000 Set apart for cor to sec 24, 25  
1980 with mound and pits  
as per instructions  
Land level - alkali  
Soil 3rd rate - good grass  
Scattering mesquite

South bet sec 25 & 30  
T<sub>3</sub>A R 2E

40.11 Set apart for 1/4 sec cor  
with mound and pits  
as per instructions

East Boundary T<sup>o</sup> 3 SR 2 E  
 Gila Salt River Meridian

8000 Seraport for cert to sec 25, 36, 38  
 T<sup>o</sup> 1 with mound and pits  
 as per instructions  
 Land level  
 Drill and soil  
 Scattering Mesquite

South sec rec 31 T<sup>o</sup> 36  
 Ra 13030 E

4000 Seraport for 1/4 sec 36  
 with mound and pits as  
 per instructions

8000 Seraport for cert to Townships  
 30 N 2 Ranges 2 & 3 E  
 with mound and pits  
 as per instructions  
 Land level, Drill and soil  
 Mesquite and Sage brush

8742

BOOK 1480

South Boundary T<sup>ps</sup> 3 & 4 R 2 E

Idaho Salt River Meridian

Chy The cor to Townships 3 & 4 S Ranges  
1 & 2 E not having been es-  
tablished I began at the cor  
to Townships 3 & 4 S Ranges  
2 & 3 E and run

West on a true line on  
South Boundary of sec 36  
T<sup>ra</sup> 130° 5' E by  
Solar Compass

4600 Set a post for the cor  
with mound and pits as  
per instructions

5000 Set a post for cor to sec 1, 2,  
3 & 6 with mound and pits  
as per instructions

Land level. Soil good to no rates  
Sage and mesquite brush

June 16, 1868



South Boundary Twp 38 R 2 E

Grand Salt River Meridian

Obs West on a true line on South  
Boundary of sec 25  
Ta 13° 35' E

4000 Set a post for 1/4 sec cor  
with mound and pits  
as per instructions

8000 Set a post for cor to sec 2, 3,  
34 + 5 with mound and  
pits as per instructions  
Land sloping gradually East  
Soil 3rd soil  
Mesquite and sage brush

West on a true line bet  
secs 3 + 4  
Ta 13° 35' E

70144

BOOK 1480

South Boundary Tp 3 SR 2 E

Gila and Salt River Meridian

40.00 Set a post for 1/4 sec corner  
with mound and pits  
as per instructions

80.00 Set a post for corner sec 3, 4,  
3 3 3 4 with mound and  
pits as per instructions  
Land gradually slopes East  
Angle 3 - rate  
Mesquite and sage brush

Meridian line on  
South Boundary of sec 3 3  
Ta 130 25' E

34.00 Road from Mancipu Wells to  
Fort Yuma bears NE & SW

40.00 Set a post for 1/4 sec corner

BOOI. 1480

South Boundary Tp 3 SR 2 E

Gda Ed Salt-Ruin Meridian

Ch with mound and pits as per instructions

Set a post for cor to sec 4, 5, 32 + 33 with mound and pits as per instructions

Land rolling mesa sloping East  
Inl 3<sup>rd</sup> rate

Palo verde and greasewood  
bush & scattering cactus

Next on true line on  
South Boundary of sec 32  
Ta 13 35 E

~~40.00~~ Set a post for 1/4 ac cor at  
foot of mountains up to for  
cultivation with mound and  
pits as per instructions

15146

BOOK 1480

Anti Boundary to S. S. R. & E.

Gila & Salt River Meridian

Land rolling mesa sloping E  
Soil 3 or 4 ft

Palo verde, greasewood and  
Scattering cactus.

On account of high mountains  
I can extend this line no  
further

June 14, 1868